
On magnetic field variability in selected M giants

Renada Konstantinova-Antova^{*1}, Michel Aurière², Agnes Lebre³, Benjamin Tessore⁴, Svetla Tsvetkova⁵, Rumen Bogdanovski⁵, Corinne Charbonnel², Julien Morin⁴, Pascal Petit², and Natalia Drake⁶

¹Institute of Astronomy and NAO, BAS (IA and NAO, BAS) – 72 Tsarigradsko shosse, Sofia, Bulgaria

²Institute of Research in Astrophysics and Planetology (IRAP) – Observatoire Midi Pyrénées, Observatoire Midi-Pyrénées – France

³Laboratoire Univers et Particules de Montpellier (LUPM) – Université Montpellier 2 - Sciences et Techniques, Institut National de Physique Nucléaire et de Physique des Particules du CNRS, Centre National de la Recherche Scientifique : UMR5299 – Université de Montpellier II Place Eugène Bataillon - CC 72 34095 Montpellier Cédex 05, France

⁴Laboratoire Univers et Particules de Montpellier (LUPM) – CNRS : UMR5299, Université Montpellier II - Sciences et techniques, IN2P3 – Université de Montpellier II Place Eugène Bataillon - CC 72 34095 Montpellier Cédex 05, France

⁵Institute of Astronomy and NAO, BAS (IA and NAO) – 72 Tsarigradsko shosse, Sofia, Bulgaria

⁶St. Petersburg University – Russia

Abstract

On the basis of spectropolarimetric observations obtained with Narval at TBL in the period 2008 - 2016 we studied the magnetic field behaviour of two M giants, RZ Ari and beta Peg. The origin of the magnetic fields and the reasons for their variability are discussed.

Keywords: stellar magnetic fields, evolved stars

^{*}Speaker